





Boiling and Chilled Water System

Filtered Boiling & Chilled



industrial . commercial . domestic

hot water







An all in one tap system that boils & chills

The Wilson Refresh is the ideal appliance for filtered boiling and chilled water in the office or home. The Wilson Refresh has been designed for ease of use and developed incorporating robust and reliable technology that delivers durability with stylish design. Importantly the Wilson Refresh is manufactured in Australia to Australian Standards.







model W90B/65C W120B/125C W90B/125C 90/65 Cups per hour (boil/chill)* 120/125 90/125 300Wx300Dx406H 300Wx300Dx616H Dimensions (Boiler) 300Wx300Dx616H 290Wx410Dx290H 290Wx485Dx320H **Dimensions (Chiller)** 290Wx485Dx320H T012 T011 Trav T011 40kg 45kg Weight (Approx) 50kg Min Water Supply Pressure 250kPa 250kPa 250kPa 1600kPa 1600kPa 1600kPa Max Water Supply Pressure Plumbing Connections 15mm BSP male 15mm BSP male 15mm BSP male 1800W/390W 2400W/390W 1800W/260W Input Power Boi/Chill(W) 2x3pin10A plug 2x3pin10A plug 2x3pin10A plug **Electrical Connections** Yes REFRESH Yes Filter Maxi Scale 10" <u>Yes</u> REFLESH Tap



Perth 207 Railway Rd Subiaco WA 6008 Karratha Unit 5, 27-29 Balmoral Road, Pegs Creek, Karratha WA 6714 Facsimile 08 9381 1623 Email purify@water2water.com.au Website www.water2water.com.au

water_water

Purify yourself
Call 1300 88 03 03

[•] chilled Water delivery based on 20°C incoming water temp, 10°C chilled water, 32.2°C ambient air temp, cup size of 200ml Remote tray kit available for split installation of boiler and chiller