





Boiling and Chilled Water System

Filtered Boiling & Chilled



industrial . commercial . domestic

hot water







An all in one tap system that boils & chills

The Wilson Refresh is the ideal appliance for filtered boiling and chilled water in the office or home. The Wilson Refresh has been designed for ease of use and developed incorporating robust and reliable technology that delivers durability with stylish design. Importantly the Wilson Refresh is manufactured in Australia to Australian Standards.







model W90B/35C W120B/70C W90B/70C 90/35 Cups per hour (boil/chill)* 90/70 120/70 300Wx300Dx406H 300Wx300Dx616H 300Wx300Dx616H **Dimensions (Boiler)** 230Wx410Dx290H 290Wx485Dx320H Dimensions (Chiller) 290Wx485Dx320H Min Water Supply Pressure 250kPa 250kPa 250kPa 1600kPa 1600kPa 1600kPa Max Water Supply Pressure 15mm BSP male 15mm BSP male 15mm BSP male **Plumbing Connections** Input Power Boi/Chill(W) 1800W/390W 2400W/390W 1800W/260W 2x3pin10A plug **Electrical Connections** 2x3pin10A plug 2x3pin10A plug Yes Yes Yes Filter Maxi Scale 10" REFRESH REFRESH Tap REFresh



Perth 207 Railway Rd Subiaco WA 6008 Karratha Unit 5, 27-29 Balmoral Road, Pegs Creek, Karratha WA 6714 Facsimile 08 9381 1623 Email purify@water2water.com.au Website www.water2water.com.au

water_water

Purify yourself
Call 1300 88 03 03

^{*} chilled Water delivery based on 20°C incoming water temp, 10°C chilled water, 32.2°C ambient air temp, cup size of 200ml Remote tray kit available for split installation of boiler and chiller